

STEADICAM[®] MERLIN

Arm & Vest

ANOTHER
BREAKTHROUGH
IN CAMCORDER
STABILIZATION



The Steadicam **Merlin Arm and Vest**

THE STEADICAM MERLIN and the NEW SIX-BEARING METAL GIMBAL

The Merlin is by far the world's lightest and most advanced hand-held stabilizer. Ultra-rigid aluminum construction enables stable moving shots at unprecedented focal lengths, and Garrett's unique Folding-Caliper hinge extends and retracts to balance cameras as light as one-half pound (.23kg), yet automatically seeks the compact storage position.

By itself Merlin weighs just 12.8 oz. (.36kg) without its stainless steel add-on weights. With the standard gimbal, Merlin was rated to carry camcorders weighing only as much as 5 lbs. (2.27kg)

Now, with the new, precision-machined Six-Bearing Metal Gimbal and a few additional weights, Merlin can balance camcorders weighing as much as 7.5 lbs. (3.4kg). Of course the additional weight will require a great deal more effort.

The Merlin manual and video teach techniques that help share the load with both hands, and this works for grabbing those quick, spectacular moving shots, but shooting entire weddings, or sporting events or theatrical performances can become quite strenuous, even with lighter cameras.

Enter the new Merlin Arm and Vest!

THE MERLIN BECOMES WEIGHTLESS!

THE New MERLIN ARM and VEST make extended shooting nearly effortless.

Now Tiffen introduces the world's most advanced ultra-light Arm and Vest. Even with heavy cameras — up to seven and one half

pounds (3.4kg) with Metal Gimbal — your Merlin can now fly for hours without undue fatigue, and preserve all the flexibility and reach of your own arms.

The Merlin Vest is the lightest and thinnest ever made — it can even be worn under a tuxedo jacket — and it's designed to fit the entire gamut of human sizes and shapes. For 50 lb. (23kg) eight-year-olds or 330 lb. (150kg) linebackers, the Merlin Vest provides complete comfort and functionality for extended productions and long continuous shots. All adjustments are "no-tools", including the right-arm/left-arm.

The Merlin Arm is ultra-light and extremely capable. It's a 7/8 scale version of its big brothers, the Flyer, G-50 and G-70 arms, and provides the same legendary performance and flexibility including instant, knob-adjustable control of lifting power for camera payloads between 2.5 and 7.5 lbs. (1.1 to 3.4kg) The Merlin Arm also provides enormous vertical lifting range (28" or 71cm) and full 'iso-elasticity' so you'll need only ounces of force to maintain the highest or lowest lens heights (way above the head to below the waist). Like its big brothers, the Merlin Arm includes two-axis adjustment of the arm-to-body angle so that people of differing shapes can adjust the lifting angle to their most comfortable posture.

Together The Merlin Arm and Vest actually increase your shooting options. You can ease the Merlin back against your body and shoot 'handheld', with both hands on the camera, and fly seamlessly back off the shoulder and continue moving. With practice you can even fly the Merlin one-handed right off of the mounting post during a shot (docking the arm to the vest with the other hand) and execute those unique Merlin shot opportunities — ultra-low- or ultra-high-angles — and then ease it back onto the arm to continue the shot.

The Six-Bearing Metal Gimbal, and the Merlin Arm and Vest are the first releases of a suite of planned Merlin Accessories that will further enhance the professional capabilities of the world's lightest and most advanced camcorder stabilizer: The Steadicam Merlin.



Specifications:

MERLIN:

- Folded size, without weights: 3.5 x 2 x 11" (9 x 5 x 28cm)
- Open size: 3.5 x 3.5 x 7" (9 x 9 x 18cm) (min. arc) to 13.5" (34cm) (max. arc)
- Weight by itself: 12.8 oz (.36kg).
- Rigid all-aluminum construction "supports telephoto shooting"
- Micrometer stage for precise horizontal balance
- Precision caliper-adjusted vertical balance
- Patented 'Folding-Caliper' spar geometry automatically seeks true folding position
- Ultra-light: (weighs one third of nearest competitor!) (by itself weighs less than a can of soda)
- Tough, modular, user-serviceable construction



ARM:

- Total Payload: Knob-adjustable from 4 to 15 lbs (1.8 to 6.8 kg).
- Arm Weight: 5.1 lbs (2.3 kg)
- Lifting Range: 28 vertical inches (71 cm)
- Mounting: Two axis adjustment of arm-to-body angle, with quick-release right-hand/left-hand changeover
- Compactable for travel



VEST:

- Weight: 2.6 lbs (1.18kg)
- Size Range: Fits the widest variety of human shapes and sizes of any Steadicam vest (from 50 lb. [23kg] eight-year-olds or 330 lb. [150kg] linebackers!)
- Fasteners: Thin, all-hook and loop fasteners permit unobtrusive use and ultra-compact disassembly and transport. With the newly added quick release buckle system and added back support pad, the vest is now even more adjustable and comfortable. This also allows the user to quickly get in and out of the vest quickly and quietly.

The STEADICAM® MERLIN™ is ultra-light, ultra-rigid, ultra precise, folds spectacularly and is beautiful – in short, the ideal instrument for today's videographers with camcorders weighing 5 pounds (2.27kg) or less. For documenta-



ries, weddings, news segments, commercials, even low-budget features, the Merlin shines. In practiced hands, it performs as impressively as the big \$60,000 Steadicam, yet remains ultimately unobtrusive. The Merlin is not only stable, it is also an inherently graceful way to hold a camera – not only for big moves and running around, but also



for those subtle, imperceptible and elegant displacements of the lens that cannot be achieved any other way.

And now, with the new Merlin Arm and Vest, you'll be able to shoot longer and 'fly' more easily and precisely than with anything else on the market.

Steadicam Merlin. BRILLIANTLY CONCEIVED. AFFORDABLE.



Optional Accessories:



Travel Case



Table Top Stand



Battery Powered Obie Light



Tripod / "C" Stand
Docking Bracket

TIFFEN®
Helping Create the
World's Greatest Images

INNOVATION STARTS AT TIFFEN.

The Tiffen Company
90 Oser Avenue, Hauppauge, NY 11788
Phone: 631-273-2500
Fax: 631-273-2557
www.tiffen.com

Tiffen-Steadicam
6933 San Fernando Road,
Glendale, CA 91201
Phone: 818-843-4600
Toll-Free: 800-593-3331
Fax: 818-843-4321

Tiffen International Ltd., Unit 5
Avonbury Business Park, Howes Lane
Bicester OX26 2UA, United Kingdom
Phone: +44 (0) 870 100-1220
Fax: +44 (0) 1869 321 766

Covered by U. S. patents 5,435,515,
5,360,196, 7,625,090 and pending
foreign patents. Additional patents
pending. Steadicam reserves the right to
change specifications without prior notice.