

DiCAPac® α

WATERPROOF CASE
JIS IPX8



ISO9001



Patented Product



CeBIT 2010 Booth No. 015 B20

www.dicapac.com

[dicapac](#)

[Click](#)

Dicapac, A specialized manufacturer of waterproof Case
Made in Korea

☞ Met Standard Requirements for Japan **JIS IPX8**

All of DiCAPac's products have passed Japan's rigorous JIS IPX8 test and are all waterproof products of grade 8 (the highest grade).

JIS IPX8!! (Japan Industrial Standard)

All of DiCAPac's products have passed JIS IPX8 TEST



Waterproof Simulation TEST



▲ 5M



▲ 18M



▲ 30M



NEW PRODUCTS

WP-570



WP-M40



DiCAPac[®] α

New models

WP-570

WP-M40

Available Spring, 2010



DiCapac Series

Compact
Digital Cameras



Mid-size
Digital Cameras

DSLR Cameras



Digital
Camcorders

Portable
Music Players



Radios & PSP™

Mobile Phones



Multipurpose

For Compact Digital Cameras

WP-310



WP-711



- Its guaranteed submersible to 10M(33ft) (JIS IPX8)
- It comes with an neck strap so you can hang it.
- Various sizes for different cameras.
- Clear filming using a UV coating polycarbonate lens.

water
proof
10M



Total 6 types of different sizes

Zoom Lens Cameras : 4types (WP-110 / WP-310 / WP-410 / WP-510)

Inner Zoom Lens Cameras : 2types (WP-710 / WP-711)

For Mid-size Digital Cameras

WP-610



WP-H10



- Roll & Double Velcro zipper system
- Multi Coated UV Filter

water
proof
10M



WP-610 / WP-H10

Package : Manual / Neck strap / Extension ring / Sponge

DiCAPac® α

For DSLR Cameras

WP-S10



FOR SINGLE-LENS REFLEX CAMERAS

- Its guaranteed submersible to 5M(16ft) (JIS IPX8)
- Built in finger sleeve for easy to button control.
- Bellows lens system from 5cm(2") to 15cm(6") allows waterproof case to be used with almost lens.

water
proof
5M

DSLR

UV
coating
optical
lens

Anti Fog

Float

Finger

For Digital Camcorders

WP-D20



- Its guaranteed submersible to 5M(16ft) (JIS IPX8)
- Multi coated UV Filter.

UV Coating Optical Lens

WP-D10



Super Clear PVC Lens

water proof
5M

Cam
corder

UV
coating
optical
lens

Anti Fog

Float

Finger

DiCAPac® α

For Portable Music Players

MSPack is guaranteed submersible to 3M(10ft) (JIS IPX8)
Now, using the MS pack can hear the music underwater.

WP-MS10



WP-MS20



Waterproof Earphones (WP-E10)



Earphones made with a standard 3.5mm plug.
Great vibrating sound above and below the waterline.

water
proof
3M



Total 2 types of different sizes

WP-MS10
WP-MS20

For Mobile Phones



WP-C10



WP-C20

Flexible TPU Film

For Mobile Phones & Cell Phones (Folder & Slide)

- You can make and take calls right through the case.
- It'll float with your phone in it.
- It comes with a neck strap so you can hang it round your neck.
- Its guaranteed submersible to 5M(16ft) (JIS IPX8)

water
proof
5M



Total 2 types of folder and slide

WP-C10 : Slide type

WP-C20 : Folder type

DiCAPac® α

For Radios & PSP™

WP-R10



Waterproof For Radioes (WP-R10)

- Its guaranteed submersible to 5M(16ft) (JIS IPX8)
- Fully dustproof, sandproof, snowproof.
- Clearly communication on waterproof case.



WP-P10

Waterproof For PSP™ (WP-P10)

- Its guaranteed submersible to 5M(16ft) (JIS IPX8)
- You can enjoy the game in the water park, swimming pool.
- Be made of PVC of high resistance.
- Strong impact will be prohibited by inner cushion(sponge).

water
proof
5M



For Mutipurpose

WP-M40



WP-560



Let's keep safety belongings.!!

- Its guaranteed submersible to 10M(33ft) (JIS IPX8)
- Fully dustproof, sandproof, snowproof.
- Simple construction.






water
proof
10M

Muti
purpose




DiCAPac® α



FITTING GUIDE

	WP-110	(Kenox, Digimax) X60/ X70/ L70
	WP-310	(Kenox, Digimax) V 3/4/5/6/10/20/700/800 A 4/ 5/ 6/ 7/ 40/ 50/ 400 D 4/ 5/ 6/ 7/ 103 S 85/ 800/ 830/ 1000/ 1030/ 1060 Cyber 410/ X80 (VLUU) NV 8/ 10/ 15/ 20/ 24HD/ 25HD/ 100HD M 300w/ 310w BL 1050 ST 45/ 500/ 550 SL 310/ 420/ 502/ 620/ 720/ 820 TL 34HD/ 220/ 225 IT 100 PL 55/60/ 65/ 70
	WP-410	(Kenox, Digimax) U-CA 3/ 4/ 5 X 1/ 15wide/ 60 Q 1/ 2/ 25wide A 55W D 60 L 50/ 55W/ 60/ 73/ 74wide/ 700/ 730/ 830 S 500/ 600/ 630/ 700/ 730/ 760/ 860/ 1070 (VLUU) NV 30/ 40/ 404 L 1/ 100/ 110/ 200/ 201/ 210/ 301 ES 10/ 15/ 17/ 20/ 55/ 60 SL 30/ 102/ 201/ 202 ST 30/ 35/ 40/ 50/ 102/ 202 TL 90/ 100/ 320 PL 50/ 51 WB 1000
	WP-510	(Kenox, Digimax) 360/ 370/ 420/ 430/ 530 V 50/ 70 Cyber 300/ 400 α 5/ 7 L 85 X 85 D 60/ 370/ 430/ 470/ 510/ 530/ 610/ 3000/ 3100/ 4000
	WP-711	(Kenox, Digimax) #1/ 1mp3/ 11pmp/ i5/ i50mp3/ i6/ i6pmp/ i7/ i70/ i8/ i80/ i85/ i100 K 50/60 D 512S (VLUU) NV 3/ 4 / i8/ i85/ i7/ i100 L 83T TL 9 ST 10/ 1000 PL 10 CL 65
	WP-710	(VLUU) NV i80/ SDC-K65 L 77
	WP-610	(VLUU) NV 5/ 7ops/ 11 WB 500/ 550 HZ 10W (Kenox) S 1050/ 850
	WP-310	(IXUS) 430/ 500/ 700/ 750/ 800IS/ 900Ti/ 950IS/ 960IS/ 970IS/ 980IS/ 990IS (IXY) 500/ 600/ 700/ 800IS/ 810IS/ 820IS/ 830IS/ 1000/ 2000IS/ 3000IS (Powershot SD) 500/ 550/ 700IS/ 850IS/ 890IS/ 900/ 950IS/ 960/ 970/ 970IS/ 990IS (Powershot S) 590/ 500/ 410 (Powershot A) 480/ 1100 (Powershot) E1
	WP-410	(IXUS) 30/ 40/ 50/ 55/ 60/ 65/ 70/ 75/ 80IS/ 85IS/ 90IS/ 95IS/ 100IS/ 110IS/ 120IS/ 200IS/ 330/ 400/ 850IS/ 860IS/ 870IS/ i7-zoom/ i/ ii/ i5-zoom/ iis/ V3/ V2 (IXY) L/ L2/ L3/ L4/ 10/ 20IS/ 25IS/ 30/ 30a/ 50/ 55/ 60/ 70/ 80/ 90/ 95IS/ 110IS/ 200a/ 210IS/ 220IS/ 300a/ 320/ 400/ 450/ 510IS/ 900IS/ 910IS/ 920IS/ 930IS/ wireless (Powershot SD) 10/ 20/ 30/ 40/ 100/ 110/ 200/ 300/ 400/ 430/ 450/ 600/ 630/ 750/ 770IS/ 780/ 780IS/ 790IS/ 800IS/ 870IS/ 940IS/ 960IS/ 980IS/ 1000/ 1100/ 1200IS (Powershot S) 200/ 230/ 330/ 400
	WP-510	(Powershot A) A60/ 70/ 75/ 80/ 85/ 95/420/ 430/ 450/ 460/ 470/510/ 520/ 530/ 540/ 550/560/ 570IS/ 580/ 590IS/ 630/ 640/ 1000IS/ 2000IS/ 2100/ 2100IS (Powershot S) 560/ 70/ 80
	WP-710	(Powershot A) A100/ 200/ 300 D 10
	WP-610	(Powershot) G5/ G7/ G9/ G10/ G11/ SX100IS/ SX110IS/ SX120IS/ SX200/ SX200IS
	WP-H10	(Powershot) S3IS/ S1IS/ G6/ G3/ G2
	WP-110	(Exilim) EX-Z 3/ 4/ 5/ 30/ 40/ 50/ 55/ 57/ 500/ 600/ 750/ 850/ 1000/ 1050/ 1080/ 1200SR EX-S 10/ 12/ 100/ 500/ 600/ 600D/ 770/ 880
	WP-310	(Exilim) EX-Z 10/ 100/ 110/ 120/ 200/ 270/ 300/ 400/ 450 QV-R 3/ 4/ 40/ 41/ 51/ 61 FC100 H10
	WP-410	(Exilim) EX-Z 8/ 9/ 20/ 33/ 60/ 70/ 75/ 77/ 80/ 85/ 90/ 150/ 250/ 280 EX-S 5
	WP-510	(Exilim) EX-P 600/ 700
	WP-711	(Exilim) EX-M 1/ 2/ 20 EX-S 1/ 2/ 3/ 20 EX-V 7/ 8 EX-FS 10
	WP-H10	(Exilim) FS20 / P505
	WP-310	(Lumix) DMC FX 100/ 150 ZR1
	WP-410	(Lumix) DMC FX 1/ 01/ 2/ 3/ 5/ 7/ 07/ 8/ 9/ 10/ 12/ 30/ 33/ 35/ 36/ 37/ 38/ 40/ 48/ 50/ 55/ 65/ 180/ 500/ 520/ 550/ 580 FS 3/ 5/ 7/ 15/ 20/ 25 F 1/ 7 LS 1/ 2/ 80/ 85 LZ 8/ 10
	WP-510	(Lumix) DMC LZ 1/ 2 LC 50/ 70/ 80
	WP-710	(Lumix) DMC TS 1 FP 8 ZX 1
	WP-610	(Lumix) DMC TZ 1/ 2/ 3/ 4/ 5/ 6/ 7/ 15 ZS 1/ 3 LX 2/ 3
	WP-H10	(Lumix) DMC FZ 5/ 35/ 38
	WP-310	(Xacti VPC) AZ3/ MZ31
	WP-410	(Xacti VPC) S 1/ 3/ 4/ 6/ 7/ 60 E 7
	WP-710	(Xacti VPC) J 1/ 2/ 4 (Xacti VPC) DSC A5 / E6

FITTING GUIDE

	WP-110	(Finepix) F 440/ 450/ 455
	WP-310	(Finepix) A 345 / 350/ 850 V 10 F 10/ 11/ 20/ 30/ 47/ 420/ 650 J 110W/ 150W/ 250 F 31fd/ 40fd/ 45fd/ 47fd/ 50fd/ 60fd/ 70EXR/ 72EXR/ F100fd/ F200fd/ F200EXR
	WP-410	(Finepix) A 100/ 150/ 170/ 180/ 203/ 220/ 230/ 303/ 310/ 330/ 340/ 500/ 510/ 600/ 610/ 700/ 800 F 460/ 470/ 480 J 10/ 12/ 15/ 15fd/ 20/ 27/ 29/ 30/ 32/ 50
	WP-510	(Finepix) E 500/ 510/ 550/ 900 A 610/ 820/ 900/ 920
	WP-711	(Finepix) Z 1/ 2/ 3/ 5fd/ 10fd/ 20fd/ Z100fd/ Z200fd/ 300/ Z300fd
	WP-710	(Finepix) A 120 / 202 Z 30/ 33WP/ 35/ 37
	WP-H10	(Finepix) S 1000fd/ 1500/ 2000HD/ 2800z/ 5700/ 5800
Nikon	WP-110	(Coolpix) S 550 / 600 / 630/ 700/ 710
	WP-310	(Coolpix) 2200/ 3200/ 4200 / 5200/ 5600/ 5900 / 7600/ 7900 P 3/ 4 L 2 / 3/ 4/ 6
	WP-410	(Coolpix) 3700/ 4100/ 4600 S 200/ 210/ 220/ 230/ 500/ 510/ 520/ 560/ 570/ 610/ 610C/ 620/ 640 L 10/ 11/ 12/ 14/ 15/ 16/ 18/ 19/ 20
	WP-510	(Coolpix) P 1/ 2/ 50/ 60/ 5000/ 5100/ 6000 L 1 C-500ZOOM
	WP-711	(Coolpix) S 1/ 2/ 3/ 5/ 6/ 7/ 7C/ 8/ 9/ 50/ 50C/ 51/ 51C/ 52/ 52C/ 60/ 70
	WP-710	(Coolpix) S 1000pj/ 2500/3500
	WP-610	(Coolpix) P 5000/ 5100/ 6000
WP-H10	(Coolpix) P 80 L 100	
OLYMPUS	WP-110	(Camedia) C 470z, X500/ 600 FE 150/ 160/ 300/ 5500 (u, Stylus) C 710/ 740/ 750/ 760/ 810/ 1000/ 1200/ D630z
	WP-310	(Camedia) C 60z/ 370/ 480/ 500z X 1/ 2/ 3/ 350/ 450/ 550/ 825/ 840/ 845/ 855/ 880/ 935 FE 300/ 310/ 5000/ 5010/ 5020 (u, Stylus) C 1010/ 1020/ 1060/ 5000/7000/7010/7020/9000
	WP-410	(Camedia) C 310z/ 315z X 775/ 785/ 790/ 815/ 820/ 875/ 920/ 930 FE 20/ 25/ 26/ 35/ 45/ 46/ 130/ 140/ 170/ 180/ 200/ 210/ 220/ 230/ 240/ 250/ 270/ 280/ 290/ 320/ 330/ 340/ 350 / 360/ 370/ 3000/ 3010/ 4000/ 4010 (u, Stylus) 10/ 15/ 20/ 25/ 30/ 40/ 40digital/ 300/ 400/ 500/ 600/ 700/ 780/ 800/ 820/ 830/ 840/ digital S/ Mini/ Verve S
	WP-510	(Camedia) C 1z/ 2/ 40 X 200/ 250 SP 320/ 350 (u, Stylus) 535/ 545/ 595z
	WP-711	(u, Stylus) 700sw/ 720sw/ 725sw/ 730/ 795sw/ 850sw/ 1030sw/ 1040/ 1050sw/ 1070
	WP-710	(Camedia) C 120/150/160/170/ 180 AZ 1 SP 700 IR 300/ 500 u 6010 Tough 6000/ 8000/ 550WP
	WP-610	(Camedia) C 70z/ 7000/ 730/ 740/ 745/ 750/ 755/ 760/ 770
WP-H10	(Camedia) SP 590/ 570uz/ 565uz/ 560uz/ 550uz/ 510uz/ 500 C 7070wz/ 5060wz/ 4000z/ 4040z/ 700uz/ 720uz/ 730uz	
SONY	WP-110	(Cybershot DSC) N1 / 2 W 120/ 130 S 930/ 950/ 980
	WP-310	(Cybershot DSC) P 100 / 120 / 150 / 200 W 100 S 800 WX 1
	WP-410	(Cybershot DSC) S 40/ 500/ 600/ 650/ 700/ 750/ 780 W 30/ 35/ 40/ 50/ 55/ 70/ 80/ 85/ 90/ 110/ 150/ 170/ 180/ 200/ 220/ 230/ 290/ 300
	WP-510	(Cybershot DSC) P 1/ 2/ 5/ 7/ 8/ 9/ 10/ 71/ 72/ 73/ 92/ 93 W 1/ 5/ 7/ 12/ 15 S 60/ 90
	WP-711	(Cybershot DSC) T 1/ 2/ 3/ 5/ 7/ 9/ 10/ 11/ 20/ 30/ 33/ 50/ 70/ 77/ 90/ 100/ 200/ 300/ 500/ 700/ 900 TX 1
	WP-710	(Cybershot DSC) U 10/ 20/ 30 P 31/ 32/ 51
	WP-610	(Cybershot DSC) H 3/ 10/ 20/ 30 V 1
WP-H10	(Cybershot DSC) H 5/ 7/ 9 V 3 HX 1	

FITTING GUIDE

PENTAX	WP-110	(Optio) S/ S4/ S4i/ S5i/ S5n/ S5z/ S6/ S7/ SV/ SVi T 10/ 20/ 30 A 10/ 20/ 30/ 40
	WP-310	(Optio) 30/ 50/ 60/ 330/ 430/ X S 40/ 45/ 50/ 55/ 60/ 330RS/ 430RS E 30/ 60 P 70/ 80 T 30
	WP-410	(Optio) M 10/ 20/ 30/ 40/ 50/ 60 E 10/ 20/ 40/ 50/ 60/ 70/ 80 V 10/ 20
	WP-510	(Optio) 33LF / 33L / 330GS / 230 / 750Z S 30
	WP-711	(Optio) WP / WPI/ Z10/ WS80 W 10 / 20 / 30/ 60 [WP-710 : Optio W80]
	WP-610	(Optio) 750z
 KONICA MINOLTA	WP-110	(Dimage) E500
	WP-310	(Dimage) KD 200Z / 300Z / 510Z
	WP-410	(Dimage) KD 400Z
	WP-510	(Dimage) F 100/ 200/ 300 Revio KD 3300
	WP-711	(Dimage) X 1
	WP-710	(Dimage) X 20/ 21/ 31/ 50/ 60 X/ XG/ Xi
Kodak	WP-110	(Easyshare) V 530 / 550 / 803 / 1003 / 1073 / 1273
	WP-310	(Easyshare) LS 633 / 753 / 755 C 190/ 613 / 663 / 813/ 1013/ 1033/ 1093IS ONE/ JOC L108 V 1233 / 1253 M 340/ 341/ 380/ 381/ 1033/ 1093IS
	WP-410	(Easyshare) C 180/ 182/ 533/ 643/ 653/ 743/ 763/ 913 LS 743 M 320/ 340/ 753/ 763/ 853/ 863/ 873/ 883/ 893IS/ 1063/ 1073IS
	WP-510	(Easyshare) CX 6230/ 6330/ 7220/ 7330/ 7430/ 7530 DX 4330/ 4530/ 6340/ 6440/ 7440/ 7630 LS 443 Z 885/ 1275 C 340/ 360/ 875
	WP-711	(Easyshare) V 570/ 610/ 705
	WP-610	(Easyshare) Z 915/ 950/ 1485IS
	WP-H10	(Easyshare) 1012IS/ ZD710/ Z612/ Z650/ Z712IS/ Z710/ Z740/ Z812IS/ Z8612IS/ Z1015IS DX7590/ DX6490/ P712/ P850
 KYOCERA	WP-310	(Finecam) S 3 (Yashica) EZ Digital 5030
	WP-410	(Yashica) EZ Digital 5031
	WP-510	(Finecam) L 3 / 3V / 4 / 4V/ 30 S 3/ 3R/ 3L/ 4 / 5R
	WP-710	Contax i4R
RICOH	WP-310	(Caprio) RZ1/ R1/ RR630/ RR660
	WP-410	(Caprio) RR770, R50
	WP-510	(Caprio) GR-D/ GR-DII/ GR-DIII GX8/ GX/ RX/ G4wide / RR30
	WP-710	(Caprio) R40/ R10/ R8/ R7/ R6/ R5/ R4/ R3/ GX100/ GX200 CX1/ CX2
ETC.	WP-110	Rollei Prego DP4200 BenQ DC E53 / 520 / 510 Hitachi imega HDC-531
	WP-310	Minox DC8111 Rollei Prego DP8300 / 6300 / 5300/ DT3200 Mach power DX-550 Polaroid PDC3370 Praktica DCZ4.3, BenQ DC C40 / C50, Toshiba Alegretto 3310
	WP-410	Toshiba Alegretto 3330, Hyundai DC-4300 Epson L-300 / 400 Leica C-Lux1/ Lux2
	WP-510	Praktica DCZ4.4 Toshiba PDR5300 Premier DC2302 / 3306 / 5330 Kenko Z510 BenQ DC 5330 /S30 Kocom KDC-330 Hyundai HD-530 Hitachi imega HDC-331
	WP-711	Che-ez Foxz2/ moni-me
	WP-610	Leica Dlux3 Sigma DP1/ DP2

Discover more at www.dicapac.com












DiCAPac[®] α
DIGITAL CAMERA WATERPROOF CASE







Waterproof Case For Digital Cameras

Series Specification




	For zoom lens cameras				For Inner zoom lens cameras		Lens size		
	WP110	WP310	WP410	WP510	WP710	WP711	WP-410	WP-110, 310, 510	
Description	For small size compact cameras	For medium size compact cameras	For wide angle compact cameras	For large size compact cameras	For Inner zoom compact cameras	For Inner zoom compact cameras			
Waterproof	100% Waterproof 33ft (10M) JIS IPX8								
Dimensions	Package (15.0 X 25.3 X 5.2) WHD (cm)				Package (13.4 X 25.3 X 2.2) WHD (cm)				
UPC#	8809176 -622069	8809176 -622014	8809176 -622021	8809176 -622038	8809176 -622045	8809176 -622076			
Package included	Manual /Neck strap	Manual /Neck strap /UP-ring						*UP-ring : This product desires that stick out of lens uses electively to only long some digital camera than Dicapac hard packing length.	


For highend cameras	Description	Waterproof	Dimensions	UPC#	Package included	Lens size	
WP570	 For High-end cameras	100% Waterproof 33ft (10M) JIS IPX8	Package WHD (cm) (15.5 X25.3 X3.0)	8809176 -623141	 Manual /Neck strap /Extension ring /Sponge	WP-570	WP-610, H10
WP610	 For Canon G-series cameras			8809176 -623103			
WPH10	 For High-end cameras			8809176 -623110			

For Slr & Dslr cameras	Description	Waterproof	Dimensions	UPC#	Package included	Lens size	
WPS5		100% Waterproof 16ft (5M) JIS IPX8	Package WHD (cm) (28.0 X23.5 X15.5)	8809176 -623158	 Manual /Neck strap /Sponge	5cm (2 inches)	15cm (6 inches)
WPS10				8809176 -623066			Front port diameter : 82mm (3.2 inches)

Waterproof Case For Other Purpose

Series Specification

	For camcorders	
	 WP-D10	 WP-D20
Description	For Handy camcorder	For HD Camcorder
Waterproof	Waterproof 10ft (3M) JIS IPX8	Waterproof 16ft (5M) JIS IPX8
Dimensions	Package (WHD) 13.0X25.0X13.0 (cm)	Package (WHD) 15.5X25.5X8.8 (cm)
UPC#	8809176-620171	8809176-620188
Package included	Manual /Neck strap	Manual /Neck strap /Sponge

	For Portable music players	
	 WP-MS10	 WP-MS20
Description	For ipod touch, classic, iPhone	For ipod Nano 4th
Waterproof	Waterproof 10ft (3M) JIS IPX8	Waterproof 10ft (3M) JIS IPX8
Dimensions	Package (WHD) 13.0X25.0X13.0 (cm)	Package (WHD) 15.5X25.5X8.8 (cm)
UPC#	8809176-623127	8809176-623134
Package included	Manual /Neck strap /Armband / WP-E10	Manual /Neck strap /Armband / WP-E10

	Waterproof Earphone
	 WP-E10
Description	Waterproof Earphone
Waterproof	Waterproof 10ft (3M) JIS IPX8
Dimensions	Package (WHD) 8.5 X 18.0 X 3.3 (cm)
UPC#	8809176-629020

	For Mobile phones & cell phones	
	 WP-C10	 WP-C20
Description	For Cellphones (Bar type)	For Cellphones (Folder type)
Waterproof	Waterproof 16ft (5M) JIS IPX8	Waterproof 16ft (5M) JIS IPX8
Dimensions	Package (WHD) 13.4 X 25.3 X 2.2 (cm)	
UPC#	8809176-620157	8809176-620164
Package included	Manual /Neck strap	

	 WP-P10	 WP-R10	 WP-R20	 WP-560
Description	For SONY PSP™	For Radios	For Radios	For Multiuse
Waterproof	Waterproof 16ft (5M) JIS IPX8			Waterproof 33ft (10M) JIS IPX8
Dimensions	Package (WHD) 13.8 X 19.0 X 3.0 (cm)			Package (WHD) 13.4 X 25.3 X 2.2 (cm)
UPC#	8809176-623042	8809176-623059	8809176-623165	8809176-622052
Package included	Manual /Neck strap /Earplug			Manual /Neck strap

MADE IN KOREA

To make sure you choose the right case check out our Size Guide.

DiCAPac® α

100% WATERPROOF CASE



DiCAPac is Registered Trade Mark. DiCAPac Co.,Ltd. All rights reserved Patents USA, Europe, Korea, Japan, China Pending Elsewhere.

DiCAPac Co., Ltd.

Discover more at www.dicapac.com

Head office

DiCAPac B/D 739 Gwanggyeok-ri ,Hojeo-myeon ,Wonju-si ,Gangwon-do ,South Korea 220-922
Tel : +82-33-731-4533 Fax : +82-33-731-4038 E-mail : dicapac@dicapac.com

Branch office

<DiCAPac USA Inc.> 17121 S. Central Ave. Unit 2D Carson, CA 90746
Tel : 1-310-608-0008 Fax : 1-310-608-0007 E-mail : usa@dicapac.com

